BY SPEED POST

No. 23-587/2006-IA .III Government of India Ministry of Environment and Forests (I.A. Division)

Paryavaran Bhawan, CGO Compley, Lodhi Road New Delhi 110003 Dated: July 3, 2007

To

M/s. K. Raheja Universal Pvt. Ltd. Raheja Centre Point, 294, CST Road, Near Mumbal University. Off Bandra Kurla Complex, Santacruz (E), Mumbai 400098

Subject: Environmental Clearance for construction of Residential Shopping and IT Complex "Raheja Richmond Park" at Village Konhwa (BK), Taluk Havell, Pune.

I am directed to refer to your application seeking prior environmental clearance for the above project under the EIA Notification 2006. The above proposal has been appraised as per prescribed procedure on the basis of the mandatory documents enclosed with the application viz. the Form 1. Form 1A, Conceptual plan and the additional clarifications furnished in response to the observations of the Expert Appraisal Committee (EAC) constituted by the competent authority in its 14th meeting held on April 27-29, 2007.

- 2. The project proponent is proposing for construction of residential, shopping and IT complex at 3 No. 21, village Kondhwa(BK), Tatak riveli, Pune. The project involves construction of 1550 flats in 5 types of buildings varing from stilt plus potium plus 17 floors to stilt plus podium plus 25 floors, one buildings of 5 wings of still plus 24 floors and 3 club houses of ground plus as the still plus and floors and 3 club houses of ground plus as the still plus two floors) will be a still plus two floors and a still plus two floors and a still plus two floors. one building of 5 wings of still plus 24 floors and 3 club houses of ground plus nnn lines. Aridilianally, 32 few names (applyingly till plus two floors) will be constructed. The commercial (shopping) area will be developed in 1400 sq.m. area comprising of ground plus one floors. The total plut area is 1,64,250 sq.m. The total built up area as indicated is 2,95,860 sq.m. Total water requirement will be 1433 cu. m. /day. Total wasterwater generation from the complex will be 967 cu. m./day. The waste water generated from the complex will be treated in 3 STPs. The total solid waste generated will be 3650 kg/day. The blo degradable waste will be composted and inert material will be disposed of for land filling.
- 3. The documents and information aubmitted along with the application predicts that the impact of the project on the air quality will be minor negative during construction as well as operation phase. There will be minor negative impact on ambient noise levels during construction as well as operation phase. There will be no negative impact on ground water quality during

construction phase. There will be positive impact on land use pattern due to landscaping and greenbelt development. Plantation of trees and development of recreational area; surrounding area will have positive impact on overall land

4. The EAC after due consideration of the relevant documents submitted by the project proponent and additional clarifications furnished in response to its observations have recommended the grant of environmental clearance for the project mentioned above subject to compliance with the EMP and other stipulated conditions. Accordingly, the Ministry haveby accords necessary environmental clearance for the project subject to the strict compliance with the specific and general conditions mentioned below:

PART A- SPECIFIC CONDITIONS

I. Construction Phase

1

を

All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.

Soil and ground water samples will be tested to ascertain that there is no threat to groundwater quality by leaching of heavy metals and other toxic contaminants.

nants.

A First Aid Room will be provided at the project she both during

III. A First Aid Room will be provided at the project she both during construction and operation of the project.

Iv. Adequate drinking water and sanitary facilities should be provided for construction workers at the site. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.

v. Disposal of nucly including excavated material during construction phase should pot create any adverse effects on the neighboring communities and be disposed off taking the necessary precautions for general safety and health aspects of people.

health aspects of people.

vi. Olesel power generating sets used during construction phase should be of "enclosed type" to prevent noise and should conform to rules made under Environment (Protection) Act 1985, prescribed for air and noise

under Environment (Protection) Act 1888, prescribed for air and noise emission standards.

viii. Ambient ppise levels should conform to mixed area standards both during day and night when measured et boundary wall of the premises, locremental pollution loads on the ambient air and noise quality should be closely monitored during construction material at site should be in good condition and should have valid "pollution under check" (PUC) certificate and to conform to applicable air and noise emission standards.

by Construction spoils including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water.

ground water.

X : The bio medical waste including hazardous waste generated during construction phase should be disposed of as per applicable Rules & norms with necessary approvals of the Maharashtra State Pollution Control Board

xi Regular supervision of the above and other measures for monitoring should be in place all through the construction phase so as to evold disturbance to the surroundings.

Under the provisions of Environment (Protection) Act 1886, legal action shall be initiated against the project proponent if it was found that construction of the project had started without obtaining environmental clearance.

II. Operation Phase

VIII

The environmental clearance recommended to the project is subject to the specific conditions as follows:

- Necessary permission of competent authority shall be taken to store diesel in the premises for operation of DG set.
- ii. Diesel power generating sets proposed as source of back up power for lifts and common area illumination should be of "enclosed type" and conform to rules made under Environment (Protection) Act 1988, prescribed for air and noise emission standards as per CPCB guidelines. Exhausts should be discharged by stack, raised to 4 meters above the rooftop.
- III. During nightlime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- iv. Noise barriers should be provided at appropriate locations so as to ensure that the noise levels do not exceed the prescribed standards.
- Weep holes in the compound walls shall be provided to ensure natural drainage of rainwater in the catchment area.
- vi. The sewage treatment plant of adequate capacity should be provided and it should be certified by an independent expert for adequacy as well as afficiency and should submit a report in this regard to the kinistry before the project is commissioned for operation. The wastewater should be treated to tertiary level and after treatment reused for flushing of tollets and gardening. Discharge of treated sewage, if any, shall conform to the norms & standards prescribed by Mahareshtra State Pollution Control Board.
- vii. Rain water harvesting and ground water recharging shall be practiced.

 The ground water levels and its quality should be monitored regularly in consultation with the Central Ground Water Authority
- vill. Oil & Gresse trap shall be provided to remove oil and gresse from the aurface run off and suspended matter shall be removed in a settling tank before its utilization for reinwater harvesting.
- ix. The solid waste generated should be properly collected & segregated. Wet garbage should be composted and dry/inert solid waste should be disposed of for land filling.

- x Biomedical weste including hazardous waste should be disposed of as per applicable Rules & no me with necessary approvals of the Muharashtra State Poliution Control Bos. d.
- xi The green belt design along the periphery of the plot shall achieve attenuation factor conforming to the day and night noise standards prescribed for residential land use. The open spaces inside the plot should be suitably landscaped and covered with vegetation of indigenous variety.
- xii Incremental pollution loads on the ambient air quality, noise and water quality should be renddically monitored after commissioning of the project

xill. The ground water levels and its quality should be monitored regularly in consultation with Central Ground Water Authority.

- xiv. A Report on the energy conservation measures should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the Ministry in three months time.
- xv. The values of R & U for the building envelope should meet the requirements of the hot & humid climatic location. Details of the building envelope should be worked out and furnished in three months time.

xvi. Energy conservation measures like installation of solar panels for lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning.

PART - B. GENERAL CONDITIONS

- The environmental safeguards contained in the documents should be implemented in letter and spirit
- ii) Provision should be made for the supply of kerosene or cooking gas and pressure cooker to the laborers during construction phase.
- iii) All the laborers to be engaged for construction works should be screened for health and adequately treated before the issue of work permits.
- 6-monthly monitoring reports should be submitted to the Ministry and its Regional Office.
- 5. Officials from the Regional Office of MOEF, Bhopal who would be monitoring the implementation of environmental safeguards should be given full cooperation, facilities and documents / data by the project proponents during their inspection. A complete set of all the documents submitted to MOEF should be forwarded to the CCF, Regional office of MOEF, Bhopal. 6. In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Ministry.

7. The Ministry reserves the right to add additional safeguard measures subsequently, if found necessary, and to take action including revoking of the environment clearance under the provisions of the Environment (Protection) Act, 1988, to ensure effective implementation of the suggested safeguard measures in a time bound and satisfactory manner.

8. All other statutory clearances such as the approvals for storage of disselfrom Chief Controller of Explosives, Fire Department, Civil Aviation Department (if required), State Forest Department, Wildlife Act 1972, CRZ Rules etc. shall be obtained by project proponents from the competent authorities.

9. A copy of the environmental placeage in the competent and c

Rules etc. shall be obtained by project proponents from the competent authorities.

9. A copy of the environmental clearance letter would be marked to the local NGO(s), if any, for their information.

10. The project proponent should advertise in at least two local Newspapers widely circulated in the region, one of which shall be in the vernacular language informing that the project has been accorded environmental clearance and copies of clearance letters are available with the Maharashtra State Poliution Control Board and may also be seen on the wabsite of the Ministry of Environment and Forests at http://www.envigr.nle.in/. The advertisement should be made within 7 days from the day of issue of the clearance letter and a copy of the same should be forwarded to the Regional office of this Ministry at Shopat.

11. These adjustional would be enforced among others under the provisions of the Water (Prevention and Control of Poliution) act, 1974, the Air (Prevention and control of Poliution) act, 1985, the Environment (Protection) Act, 1986 and the Public Liability (Insurance) Act, 1991.

12. The project authority will enter in to MOU with all buyers of the propeny to ensure operation and maintenance of the assets handed over to the society formed by the residents/owners of the buildings.

Kelilis (K.C. RATHORE)
Additional Director (IA)
rathors27@yahoo.com
Tele; 24360769

Copy to: - '

The Secretary, Department of Environment, Government of Maharashtra, New Administrative Building, 15th Floor, Opp. Mantrelaya,

Mumbai,
The Member Secretary, Maharashtra State Pollution Control Board,
Kalpfaru Point, 3rd Floor, Near Sion Circle Opp. Cine Planet Cinema,
Sion(E), Mumbai
The CCF, Regional Office, Ministry of Environment & Forests, Bhopai,
1A - Division, MOEF, New Delhi - 110001.
Guard file.

(K. C. RATHORE) Additional Director (IA)